



Asbestos & Environmental
Consulting Corporation

Soil Vapor Intrusion Sampling Report

Former Kalet Building
1-7 State Street
Auburn, New York

Prepared for:

City of Auburn – Engineering Department
Memorial City Hall, 3rd Floor
24 South Street
Auburn, New York 13021

Prepared by:

Asbestos & Environmental Consulting Corporation (AECC)
6296 Fly Road
East Syracuse, New York 13057



February 17, 2011

Mr. Seth Jensen
City Of Auburn - Department of Engineering Services
Memorial City Hall
24 South Street
Auburn, New York 13021

**RE: Soil Vapor Intrusion Sampling Report
Former Kalet Building – 1-7 State Street, Auburn, New York
AECC Project Number: 11-036**

Dear Mr. Jensen:

The Asbestos and Environmental Consulting Corporation (AECC) was retained by the City of Auburn (the "City") to complete Soil Vapor Intrusion (SVI) sampling at the former Kalet Building ("the Property"), located at 1-7 State Street, in Auburn, New York (Figure 1). The following presents the data results, summary, conclusions, and recommendations resulting from the SVI sampling conducted on February 9, 2011.

BACKGROUND

The SVI sampling was completed in response to a potential environmental concern identified in AECC's Phase I Environmental Site Assessment (ESA), dated April 16, 2009 (prepared for Musical Theatre Festival, Inc., a copy of which was provided to the City). The potential environmental concern identified in the 2009 Phase I ESA was a former dry cleaning facility located approximately 150 feet northwest of the Property. Since no evidence was found indicating a spill or release at the former dry cleaning facility and the fact that it was located potentially hydrologically down-gradient, AECC did not identify it as a recognized environmental condition; but rather as a potential environmental concern. This interpretation was offered because the flow of groundwater in the immediate area surrounding the Property is not certain.

The SVI sampling event was conducted on February 9, 2011. The former Kalet Building is a vacant, three-story structure (including basement), located in downtown Auburn, New York. At the time of the vapor sampling, the building was in significant disrepair and scheduled for demolition in the near future. The basement floor was covered by various amounts of miscellaneous debris. The first floor was relatively open and generally free of debris. The second floor was not inspected, due to potential safety issues. Weather conditions were clear with a temperature of 12 to 15 degrees Fahrenheit.

SCOPE OF SERVICES

The SVI sampling was completed in accordance with New York State Department of Health's (NYSDOH) October 2006 *Guidance for Evaluating Soil Vapor Intrusion in the State of New York*

Mr. Seth Jensen
City of Auburn – Dept. of Engineering Services
Soil Vapor Intrusion Sampling Report
Kalet Building – 1-7 State Street, Auburn, NY

(“Guidance”). A total of five (5) samples were collected, specifically: three (3) sub-slab vapor samples (SS-1, SS-2, and SS-3), one (1) indoor air sample (IA), and one (1) outdoor air sample (OA). The locations of the samples are depicted on Figures 2 and 3 of this report.

The sub-slab samples were collected from below the concrete slab in the basement of the building (Figure 2). At each sub-slab sample location, a hammer drill was used to drill a 5/8-inch diameter hole through the concrete slab. The thickness of the slab was approximately 6 inches thick at sampling locations SS-1 and SS-3. At sampling location SS-2, two (2) slabs were observed; the top slab which was approximately 3 inches thick and the bottom slab which was approximately 15 inches thick.

Upon completion of each drill hole, 3/8-inch (outer diameter) polyethylene tubing was inserted no further than 2 inches below the bottom of the concrete slab. The tubing was then sealed at the surface of the concrete slab using modeling clay.

The integrity of each seal was tested using a stainless steel shroud and laboratory-provided helium. The shroud was placed over each sampling location with the sample tubing connected to the outside of the shroud. The atmosphere in the shroud was then enriched with helium, while a Restek® Electronic Leak Detector monitored the sampling point below the slab for a breach in the clay seal. Once the integrity of each seal was verified, the shroud was removed and approximately 0.06 liters of vapor was purged from the tubing using a disposable plastic syringe at a rate no greater than 0.2 liters per minute. A pre-calibrated regulator (prepared by the laboratory), was then connected to each location, followed by the connection of a 1 liter, stainless steel, Silonite-coated, MiniCan® sampling canister.

The indoor air sample (IA) was placed in the basement at approximately 4 feet above the floor. The outdoor air sample (OA) was placed outside a 1st floor window on the west side of the building (Figure 3). The set-up of the IA and OA samples consisted of connecting pre-calibrated regulators to 1 liter, stainless steel, Silonite coated, MiniCan sampling canisters.

At the end of the sampling interval, the canisters were collected, each hole was screened with a photoionization detector (PID)¹, and then each hole was sealed with masonry caulking. The samples were delivered under an executed chain-of-custody to Centek Laboratories, LLC in Syracuse, New York for analysis of volatile organic compounds (VOCs) using United States Environmental Protection Agency (US EPA) Method TO-15. A copy of the laboratory results and photograph log are provided in Attachments A and B, respectively.

FIELD OBSERVATIONS

During the SVI sampling event, AECC observed and recorded conditions at the Property that have the potential to influence sample analytical results. These observations included the condition of the building, activities in the building, and inventory of any chemicals or containers within the building.

The building is a three-story, vacant building (basement included). The basement consisted of a concrete slab ranging in thickness from approximately 6 to 18 inches. The condition of the slab was fair, with few cracks and penetrations observed in the areas that were safely accessible. Due to the

¹ MiniRAE 2000, 10.6 eV Lamp

Mr. Seth Jensen
City of Auburn – Dept. of Engineering Services
Soil Vapor Intrusion Sampling Report
Kalet Building – 1-7 State Street, Auburn, NY

degradation of the building structure, the basement floor was covered by miscellaneous debris. The heating, ventilation, and air conditioning (HVAC) unit in the building was not in operation during the time of the sampling, and likely has not been in operation for several years. Climate control units associated with a fur storage vault were also observed. Several holes and penetrations through the first floor were present. No evidence of leaks or spills was observed. A general screening of the ambient air in the basement registered no PID readings.

A total of eight (8) containers were observed in the basement and consisted of the following:

- Two (2) rusted, unlabeled metal containers with an approximate 3-gallon capacity each. Both containers' lids were rusted shut. No evidence of leaks or spills was observed. No PID readings were registered near the containers;
- Five (5) yellow, plastic containers with an approximate 3-gallon capacity each. One of the containers was closed and contained a label indicating that the original substance of the container was soy bean oil. The other four containers were cut open or damaged. No evidence of leaks or spills was observed. No PID readings registered near the containers, and;
- One (1) plastic container with an approximate 3-gallon capacity was damaged and contained a label indicating that the original substance of the container was salad oil. No evidence of leaks or spills was observed. No PID readings registered near the container.

The first floor consisted of several large rooms and exterior windows. Several of the windows were damaged, allowing air to flow into and out of the building. The City had been storing a gasoline powered generator inside the building on the first floor for a power supply. On the day of the SVI sampling event, the generator was started inside the building by City representatives, but then moved outside the building upon AECC's request. The generator was placed immediately outside the front entrance to the building. A general screening of the air on the first floor registered no PID readings.

One (1) metal container, labeled hydraulic oil, was stored immediately inside the front entrance of the building. It was closed and no evidence of leaks or spills was observed. No PID readings registered near the container.

The second floor of the building was not observed during the SVI sampling, due to safety reasons.

The building was constructed in an urban setting. Due to this fact, the potential for various sources of emissions from nearby buildings and vehicles to influence the air samples exists.

ANALYTICAL RESULTS

The samples were collected and delivered to Centek Laboratories, LLC in Syracuse, New York for analysis of volatile organic compounds (VOCs) using United States Environmental Protection Agency (US EPA) Method TO-15. A summary of analytical results is presented in Table 1.

Mr. Seth Jensen
City of Auburn – Dept. of Engineering Services
Soil Vapor Intrusion Sampling Report
Kalet Building – 1-7 State Street, Auburn, NY

A total of twenty-three (23) VOCs were detected in the sub-slab, indoor air, and outdoor air samples. Nineteen (19) of these compounds are not specifically addressed in the NYSDOH October 2006 Guidance.

Concentrations of the following VOCs were detected at low levels in the sub-slab and outdoor air samples: 1,2,4 trimethylbenzene, 1,3,5 trimethylbenzene, 2,2,4-trimethylpentane, 4-ethyltoluene, benzene, ethylbenzene, m&p-xylene, o-xylene, and toluene. However, these compounds were detected at higher levels in the indoor air sample collected from the basement. A likely source of these concentrations is the operation of the gasoline-powered generator outside the building on the first floor. It is identified as a likely source of these compounds because the generator was initially started inside the building on the day of the SVI sampling event, before it was moved outside the building (where it remained immediately outside the front entrance to the building).

Concentrations of the following VOCs were detected at various concentrations in the sub-slab, indoor air, and outdoor air samples: acetone, cyclohexane. The acetone and cyclohexane levels are typical of ambient air concentrations. However, they can also be caused by solvents, fuels, various manufacturing processes, and/or vehicle emissions.

Concentrations of the following other VOCs were detected at low levels in the sub-slab, indoor air, and outdoor air samples: chloroform, Freon 11, Freon 113, Freon 12, and carbon disulfide. A likely source of the chloroform and Freon compounds may be any refrigerant or climate control units, as observed in the basement of the building. Other uses of these compounds include propellants in aerosols. Carbon disulfide may be introduced into the environment by many sources, including: pesticides, insecticides, solvents, various manufacturing processes, vehicle emissions, and naturally by the biodegradation of organic materials. The concentrations detected in the samples are at parts per billion levels, whereas concentrations found in the ambient atmosphere in urban areas are typically at parts per trillion levels.

Concentrations of the following VOCs were detected at various concentrations in the sub-slab, indoor air, and outdoor air samples: heptane and hexane. Higher levels of these compounds were detected in sub-slab sample SS-3 and the indoor air sample. Possible sources for these concentrations include fuels, solvents, aerosols, and pesticides.

Five (5) compounds discussed below are associated with dry cleaning, cleaning, and degreasing processes were detected at various concentrations in the sub-slab, indoor air, and outdoor air samples. The compound cis-1,2-dichloroethene was detected at low levels in the sub-slab samples only. The remaining four (4) of compounds are considered in the NYSDOH October 2006 Guidance. The concentrations detected for the following VOCs warrant no further action according to the guidance's decision matrices: 1,1,1-trichloroethane, tetrachloroethylene (perchloroethylene), and trichloroethene. However, based on the carbon tetrachloride concentrations detected in the sub-slab samples, the NYSDOH October 2006 Guidance recommends that further monitoring be completed at the Property. This monitoring may be performed at the conclusion of the demolition project and prior to redevelopment of the property. The concentrations (all less than 50 ug/m³) do not warrant mitigation at this time.

Mr. Seth Jensen
City of Auburn – Dept. of Engineering Services
Soil Vapor Intrusion Sampling Report
Kalet Building – 1-7 State Street, Auburn, NY

It is also possible that the detections of these compounds are the result of interferences caused by existing waste materials present in the basement, operation of the gasoline powered generator (located inside the building), and possible historic leaching of cleaning solutions spilled during the time the building was used to store, clean, and repair furs.

CONCLUSIONS AND RECOMMENDATIONS

Based on AECC's interpretation of the analytical data discussed above and the NYSDOH October 2006 Guidance, AECC is providing the following conclusions and recommendations:

- 1) The concentrations of VOCs detected in the indoor air samples are below the Occupational Safety and Health Administration (OSHA) 29 CFR 1910 Subpart Z, Toxic and Hazardous Substances Limits for Air Contaminants. However, it is recommended that the data be supplied to the demolition contractor to incorporate appropriate actions into their health and safety plan for worker protection purposes.
- 2) Based upon the evaluation of carbon tetrachloride concentrations in the sub-slab samples using the NYSDOH October 2006 Guidance^[1], as well as the detected concentrations of hexane and heptane, AECC recommends the following options:
 - a) Additional SVI monitoring be performed, post demolition, to further evaluate the potential for soil vapor intrusion into future structure(s) at the Property. This is based on AECC's understanding that the concrete slab will be left in place and a new structure will be constructed for use at the Property. Based on the results of this second round of sampling, additional monitoring may be appropriate based on the NYSDOH October 2006 Guidance.
 - b) Based on the anticipated construction plans for the site (post demolition), it is recommended that the existing slab be coated with a vapor barrier (if the slab will be re-used). If the slab is removed, the installation of a vapor barrier is recommended during the new building construction. Post installation of the vapor barrier, additional monitoring is recommended. If future soil vapor sampling indicates consistent concentrations of VOCs in excess of the NYSDOH October 2006 Guidance screening values (post installation of a vapor barrier), a sub-slab depressurization system may be warranted, especially if supported by determination that the sub-slab soils or groundwater are impacted with VOCs.

LIMITATIONS

AECC performed services in a manner consistent with the level of care and expertise exercised by members of the environmental consulting industry operating in similar conditions during the same time as our services were rendered.

² Monitoring, including sub-slab vapor, basement air, lowest occupied living space air, and outdoor air sampling, may be recommended to determine whether concentrations in indoor air or sub-slab vapor have changed. The type and frequency of monitoring is determined on a site-specific and building-specific basis, taking into account applicable environmental data and building operating conditions.

Mr. Seth Jensen
City of Auburn – Dept. of Engineering Services
Soil Vapor Intrusion Sampling Report
Kalet Building – 1-7 State Street, Auburn, NY

The assessment, conclusions, and recommendations presented are based on a subjective evaluation of limited data. They may not represent all conditions at the Property, as they reflect the information gathered from specific locations during a specific timeframe.

Our services consist of professional opinions and recommendations made in accordance with generally accepted environmental consulting principles and practices, and are designed to provide an analytical tool to assist the Client. AECC, or those representing AECC, bear no responsibility for the actual condition of the structure or safety of a site pertaining to Indoor Air Quality (IAQ) or Soil Vapor Intrusion (SVI) regardless of the actions taken by the Client. Changes in the Property conditions, building environment, Property activities, control operation and remedial actions may affect our recommendations.

If you have any questions pertaining to this report, please contact our office at (315) 432-9400. We appreciate the opportunity to work with you on this project and look forward to working with you again in the future.

Sincerely,
Asbestos & Environmental Consulting Corporation



Joshua Sandberg
Project Geologist

Reviewed by:



Bryan Bowers
President / Owner

Figures

- Figure 1: Property Location Map
- Figure 2: Basement Soil Vapor Intrusion Sampling Locations
- Figure 3: First Floor Soil Vapor Intrusion Sampling Locations


Tables

- Table 1: Summary of Analytical Results


Attachments

- Attachment A: Laboratory Analytical Results
- Attachment B: Photograph Log

FIGURES



SITE



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfield makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.


AECC
 Asbestos & Environmental
 Consulting Corporation
 6296 Fly Road, Suite 2
 East Syracuse, NY 13057

PROJECT NO. 11-036
 DRAWN: FEB 2011
 DRAWN BY: HHM
 CHECKED BY: JTI
 FILE NAME:

**The Kalet Building
 Soil Vapor Intrusion Sampling Locations
 Site Location Map
 1 State Street, Auburn, N.Y.**

FIGURE

1




LEGEND:
 □ SOIL VAPOR INTRUSION
 ▲ SAMPLING LOCATIONS

 AECC Asbestos & Environmental Consulting Corporation 6296 Fly Road, Suite 2 East Syracuse, NY 13057	PROJECT NO.:	11-096	FIGURE	2	
	DRAWN:	FEB 2011	The Kalet Building Soil Vapor Intrusion Sampling Locations		
	DRAWN BY:	HHM	Basement		
	CHECKED BY:	JTI	1 State Street, Auburn, N.Y.		
	FILE NAME:				



THE INFORMATION CONTAINED ON THIS DOCUMENT REPRESENTS ONLY THAT WHICH HAS BEEN OBTAINED FROM A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE WITHOUT NOTICE. THE INFORMATION IS PROVIDED AS IS, WITHOUT WARRANTY, REPRESENTATION OR ENDORSEMENT, AND IS NOT TO BE USED AS A BASIS FOR ANY DECISIONS OR ACTIONS. THE USER OF THIS INFORMATION ASSUMES ALL LIABILITY FOR ANY DAMAGE OR INJURY THAT MAY BE CAUSED BY THE USE OF THIS INFORMATION. THE USER OF THIS INFORMATION ASSUMES ALL LIABILITY FOR ANY DAMAGE OR INJURY THAT MAY BE CAUSED BY THE USE OF THIS INFORMATION. THE USER OF THIS INFORMATION ASSUMES ALL LIABILITY FOR ANY DAMAGE OR INJURY THAT MAY BE CAUSED BY THE USE OF THIS INFORMATION.



FIRST FLOOR

STATE STREET

	PROJECT NO.:	11-036	FIGURE	3	
	DRAWN:	FEB 2011	The Kalet Building Soil Vapor Intrusion Sampling Locations First Floor 1 State Street, Auburn, N.Y.		
	DRAWN BY:	HHM			
	CHECKED BY:	JTI			
		FILE NAME:			



THE INFORMATION CONTAINED ON THIS REPORT IS THE PROPERTY OF THE CONSULTANT AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF THE CONSULTANT. THE CONSULTANT MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO ACCURACY, COMPLETENESS, TIMELINESS, OR INTERPRETATION OF THE INFORMATION CONTAINED HEREIN. THE CONSULTANT'S LIABILITY IS LIMITED TO THE SERVICES PROVIDED AND DOES NOT INCLUDE ANY CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF PROFITS OR BUSINESS INTERRUPTION. THE SOLE RISK OF THE PARTY USING OR MISUSING THE INFORMATION.

TABLES

Table 1
Soil Vapor Intrusion Sampling Summary of Analytical Results
Kalet Building
1 State Street
Auburn, New York

Volatile Organic Compound	SS-1 2/9/2011	SS-2 2/9/2011	SS-3 2/9/2011	IA 2/9/2011	OA 2/9/2011
1,1,1-Trichloroethane	3.2	1.4	0.61 J	<0.83	<0.83
1,1,2,2-Tetrachloroethane	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane	<0.83	<0.83	<0.83	<0.83	<0.83
1,1-Dichloroethane	<0.62	<0.62	<0.62	<0.62	<0.62
1,1-Dichloroethene	<0.60	<0.60	<0.60	<0.60	<0.60
1,2,4-Trichlorobenzene	<1.1	<1.1	<1.1	<1.1	<1.1
1,2,4-Trimethylbenzene	1.5	1.3	1.2	28	1.2
1,2-Dibromoethane	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-Dichlorobenzene	<0.92	<0.92	<0.92	<0.92	<0.92
1,2-Dichloroethane	<0.62	<0.62	<0.62	<0.62	<0.62
1,2-Dichloropropane	<0.70	<0.70	<0.70	<0.70	<0.70
1,3,5-Trimethylbenzene	0.55 J	<0.75	<0.75	11	<0.75
1,3-Butadiene	<0.34	<0.34	<0.34	<0.34	<0.34
1,3-Dichlorobenzene	<0.92	<0.92	<0.92	<0.92	<0.92
1,4-Dichlorobenzene	<0.92	<0.92	<0.92	<0.92	<0.92
1,4-Dioxane	<1.1	<1.1	<1.1	<1.1	<1.1
2,2,4-Trimethylpentane	3.1	1.8	10	67	1.5
4-Ethyltoluene	<0.75	<0.75	<0.75	9.8	<0.75
Acetone	24	44	<0.72	28	22
Allyl chloride	<0.48	<0.48	<0.48	<0.48	<0.48
Benzene	5.4	8.4	5.5	45	1.8
Benzyl Chloride	<0.88	<0.88	<0.88	<0.88	<0.88
Bromodichloromethane	<1.0	<1.0	<1.0	<1.0	<1.0
Bromoform	<1.6	<1.6	<1.6	<1.6	<1.6
Bromomethane	<0.59	<0.59	<0.59	<0.59	<0.59
Carbon disulfide	1.1	17	9.2	<0.47	<0.47
Carbon tetrachloride	36	4	9.1	0.45	0.51
Chlorobenzene	<0.70	<0.70	<0.70	<0.70	<0.70
Chloroethane	<0.40	<0.40	<0.40	<0.40	<0.40
Chloroform	45	2.9	4.8	<0.74	<0.74
Chloromethane	<0.31	<0.31	<0.31	0.84	1.1
cis-1,2-Dichloroethene	0.64	1.6	0.77	<0.60	<0.60
cis-1,3-Dichloropropene	<0.69	<0.69	<0.69	<0.69	<0.69
Cyclohexane	10	16	47	39	<0.52
Dibromochloromethane	<1.3	<1.3	<1.3	<1.3	<1.3
Ethyl Acetate	<0.92	<0.92	<0.92	<0.92	<0.92
Ethylbenzene	1.5	1.3	1.3	30	1
Freon 11	4.6	3	2.2	2.3	2.7
Freon 113	<1.2	0.86	<1.2	<1.2	<1.2
Freon 114	<1.1	<1.1	<1.1	<1.1	<1.1
Freon 12	5.6	10	8	2.8	3.1
Heptane	12	15	220	35	1.1
Hexachloro-1,3-butadiene	<1.6	<1.6	<1.6	<1.6	<1.6
Hexane	21	28	420	140	2.1
Isopropyl alcohol	<0.37	<0.37	<0.37	<0.37	<0.37
m&p-Xylene	3.9	3.3	3.4	99	2.7
Methyl Butyl Ketone	<1.2	<1.2	<1.2	<1.2	<1.2
2-Butanone (MEK)	<0.90	<0.90	<0.90	<0.90	<0.90
Methyl Isobutyl Ketone	<1.2	<1.2	<1.2	<1.2	<1.2
MTBE	<0.55	<0.55	<0.55	<0.55	<0.55
Methylene Chloride	<0.53	<0.53	<0.53	<0.53	<0.53
o-Xylene	1.6	1.5	1.4	35	1.1
Propylene	<0.26	<0.26	<0.26	<0.26	<0.26
Styrene	<0.65	<0.65	<0.65	<0.65	<0.65
Tetrachloroethylene	0.76 J	1.4	3	<1.0	<1.0
Tetrahydrofuran	<0.45	<0.45	<0.45	<0.45	<0.45
Toluene	6.1	5	5.1	190	3.9
trans-1,2-Dichloroethene	<0.60	<0.60	<0.60	<0.60	<0.60
trans-1,3-Dichloropropene	<0.69	<0.69	<0.69	<0.69	<0.69
Trichloroethene	3.6	6.7	4.4	<0.22	<0.22
Vinyl Acetate	<0.54	<0.54	<0.54	<0.54	<0.54
Vinyl Bromide	<0.67	<0.67	<0.67	<0.67	<0.67
Vinyl Chloride	<0.39	<0.39	<0.39	<0.10	<0.10

Notes:

All concentrations in micrograms per cubic meter (ug/m3)

Bold - Compound Detected

ND - Non Detect

J - Analyte detected at or below quantitation limits

Samples Analyzed by US EPA Method TO-15

ATTACHMENTS

ATTACHMENT A
Laboratory Analytical Results



CENTEK LABORATORIES, LLC

149 Midler Park Drive * Syracuse, NY 13206

Phone (315) 431-9730 * Emergency 24/7 (315) 416-2752

NYSDOH ELAP Certificate No. 11890

Analytical Report

Josh Sandberg
Asbestos & Environmental Consulting Corporation
6296 Fly Road
Syracuse, NY 13057

Tuesday, February 15, 2011
Order No.: C1102017

TEL: (315) 432-9400

FAX: (315) 432-9405

RE: Kalet 11-036

Dear Josh Sandberg:

Centek Laboratories, LLC received 5 sample(s) on 2/9/2011 for the analyses presented in the following report.

I certify that this data package is in compliance with the terms and conditions of the Contract, both technically and for completeness. Release of the data contained in this hardcopy data package and/or in the computer readable data submitted has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Centek Laboratories performs all analyses according to EPA, NIOSH or OSHA-approved analytical methods. Centek Laboratories is dedicated to providing quality analyses and exceptional customer service. All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objective except as indicated in the case narrative. All samples were received and analyzed within the EPA recommended holding times. Test results are not Method Blank (MB) corrected for contamination.

We do our best to make our reporting format clear and understandable and hope you are thoroughly satisfied with our services. Please contact your client service representative at (315) 431-9730 or myself, if you would like any additional information regarding this report.

Thank you for using Centek Laboratories. This report can not be reproduced except in its entirety, without prior written authorization.

Sincerely,

Russell J. Pellegrino
Technical Director

Disclaimer: The test results and procedures utilized, and laboratory interpretations of the data obtained by Centek as contained in this report are believed by Centek to be accurate and reliable for samples tested. In accepting this report, the customer agrees that the full extent of any and

all liability for actual and consequential damages of Centek for the services performed shall be equal to the fee charged to the customer for the services as liquidated damages.

Centek Laboratories, LLC Terms and Conditions

Sample Submission

All samples sent to Centek Laboratories should be accompanied by our Request for Analysis Form or Chain of Custody Form. A Chain of Custody will be provided with each order shipped for all sampling events, or if needed, one is available at our website www.CentekLabs.com. Samples received after 3:00pm are considered to be a part of the next day's business.

Sample Media

Samples can be collected in an canister or a Tedlar bag. Depending on your analytical needs, Centek Laboratories may receive a bulk, liquid, soil or other matrix sample for headspace analysis.

Blanks

Every sample is run with a surrogate or tracer compound at a pre-established concentration. The surrogate compound run with each sample is used as a standard to measure the performance of each run of the instrument. If required, a Minican can be provided containing nitrogen to be run as a trip blank with your samples.

Sampling Equipment

Centek Laboratories will be happy to provide the canisters to carry-out your sampling event at no charge. The necessary accessories, such as regulators, tubing or personal sampling belts, are also provided to meet your sampling needs. The customer is responsible for all shipping charges to the client's destination and return shipping to the laboratory. Client assumes all responsibility for lost, stolen and any damages of equipment.

Turn Around time (TAT)

Centek Laboratories will provide results to its clients in one business-week by 6:00pm EST after receipt of samples. For example, if samples are received on a Monday they are due on the following Monday by 6:00pm EST. Results are faxed or emailed to the requested location indicated on the Chain of Custody. Non-routine analysis may require more than the one business-week turnaround time. Please confirm non-routine sample turnaround times.

Reporting

Results are emailed or faxed at no additional charge. A hard copy of the result report is mailed within 24 hours of the faxing or emailing of your results. Cat "B" like packages are within 3-4 weeks from time of analysis. Standard Electronic Disk Deliverables (EDD) is also available at no additional charge.

Payment Terms

Payment for all purchases shall be due within 30 days from date of invoice. The client agrees to pay a finance charge of 1.5% per month on the overdue balance and cost of collection, including attorney fees, if collection proceedings are necessary. You must have a completed credit application on file to extend credit. Purchase orders or checks information must be submitted for us to release results

Rush Turnaround Samples

Expedited turn around times is available. Please confirm rush turnaround times with Client Services before submitting samples.

Applicable Surcharges for Rush Turnaround Samples:

Same day TAT = 200%

Next business day TAT by Noon = 150%

Next business day TAT by 6:00pm = 100%

Second business day TAT by 6:00pm = 75%

Third business day TAT by 6:00pm = 50%

Fourth business day TAT by 6:00pm = 35%

Fifth business day = Standard

Statement of Confidentiality

Centek Laboratories, LLC is aware of the importance of the confidentiality of results to many of our clients. Your name and data will be held in the strictest of confidence. We will not accept business that may constitute a conflict of interest. We commonly sign Confidential Nondisclosure Agreements with clients prior to beginning work. All research, results and reports will be kept strictly confidential. Secrecy Agreements and Disclosure Statements will be signed for the client if so specified. Results will be provided only to the addressee specified on the Chain of Custody Form submitted with the samples unless law requires release. Written permission is required from the addressee to release results to any other party.

Limitation on Liability

Centek Laboratories, LLC warrants the test results to be accurate to the methodology and sample type for each sample submitted to Centek Laboratories, LLC. In no event shall Centek Laboratories, LLC be liable for direct, indirect, special, punitive, incidental, exemplary or consequential damages, or any damages whatsoever, even if Centek Laboratories, LLC has been previously advised of the possibility of such damages whether in an action under contract, negligence, or any other theory, arising out of or in connection with the use, inability to use or performance of the information, services, products and materials available from the laboratory or this site. These limitations shall apply notwithstanding any failure of essential purpose of any limited remedy. Because some jurisdictions do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of liability for consequential or incidental damages, the above limitations may not apply to you. This is a comprehensive limitation of liability that applies to all damages of any kind, including (without limitation) compensatory, direct, indirect or consequential damages, loss of data, income or profit and or loss of or damage to property and claims of third parties.



CLIENT: Asbestos & Environmental Consulting Corpo
Project: Kalet 11-036
Lab Order: C1102017

CASE NARRATIVE

All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objective except as indicated in the corrective action report(s). All samples were received and analyzed within the EPA recommended holding times. Test results are not Method Blank (MB) corrected for contamination. Samples were analyzed using the methods outlined in the following references:

Compendium of Methods for the Determination of Toxic Organic Compounds, Compendium Method TO-15, January 1999.

Job changed to 4 day TAT + 25%

Sample Receipt Checklist

Client Name AECC

Date and Time Receive

2/9/2011

Work Order Number C1102017

Received by JDS

Checklist completed by

Signature

Date

Reviewed by

Initials

Date

[Handwritten Signature]
2/9/11

[Handwritten Initials: JM]
2/9/11

Matrix:

Carrier name Courier (Centek)

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No
- Water - VOA vials have zero headspace? No VOA vials submitted Yes No
- Water - pH acceptable upon receipt? Yes No

Adjusted? _____ Checked by _____

Any No and/or NA (not applicable) response must be detailed in the comments section below

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____



CEN TEK LABORATORIES, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Project: Kalet 11-036
Lab Order: C1102017

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
C1102017-001A	SS-1	231,153	2/9/2011	2/9/2011
C1102017-002A	SS-2	162,265	2/9/2011	2/9/2011
C1102017-003A	SS-3	350,187	2/9/2011	2/9/2011
C1102017-004A	IA	284,436	2/9/2011	2/9/2011
C1102017-005A	OA	190,437	2/9/2011	2/9/2011

Lab Order: C1102017
Client: Asbestos & Environmental Consulting Corporation
Project: Kalet 11-036

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
C1102017-001A	SS-1	2/9/2011	Air	1ug/M3 by Method TO15			2/14/2011
C1102017-002A	SS-2			1ug/M3 by Method TO15			2/14/2011
C1102017-003A	SS-3			1ug/M3 by Method TO15			2/14/2011
C1102017-004A	IA			1ug/M3 by Method TO15			2/14/2011
C1102017-005A	OA			1ug/m3 w/ 0.25ug/M3 CT-TCE-VC			2/14/2011
				1ug/m3 w/ 0.25ug/M3 CT-TCE-VC			2/14/2011
				1ug/m3 w/ 0.25ug/M3 CT-TCE-VC			2/14/2011
				1ug/m3 w/ 0.25ug/M3 CT-TCE-VC			2/14/2011
				1ug/m3 w/ 0.25ug/M3 CT-TCE-VC			2/14/2011
				1ug/m3 w/ 0.25ug/M3 CT-TCE-VC			2/14/2011

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	SS-1
Lab Order:	C1102017	Tag Number:	231,153
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-001A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
Ethylbenzene	0.34	0.15		ppbV	1	2/14/2011 2:24:00 PM
Freon 11	0.81	0.15		ppbV	1	2/14/2011 2:24:00 PM
Freon 113	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Freon 114	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Freon 12	1.1	0.15		ppbV	1	2/14/2011 2:24:00 PM
Heptane	2.9	1.5		ppbV	10	2/14/2011 8:30:00 PM
Hexachloro-1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Hexane	6.0	1.5		ppbV	10	2/14/2011 8:30:00 PM
Isopropyl alcohol	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
m&p-Xylene	0.89	0.30		ppbV	1	2/14/2011 2:24:00 PM
Methyl Butyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 2:24:00 PM
Methyl Ethyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 2:24:00 PM
Methyl Isobutyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 2:24:00 PM
Methyl tert-butyl ether	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Methylene chloride	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
o-Xylene	0.36	0.15		ppbV	1	2/14/2011 2:24:00 PM
Propylene	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Styrene	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Tetrachloroethylene	0.11	0.15	J	ppbV	1	2/14/2011 2:24:00 PM
Tetrahydrofuran	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Toluene	1.6	0.15		ppbV	1	2/14/2011 2:24:00 PM
trans-1,2-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
trans-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Trichloroethene	0.66	0.15		ppbV	1	2/14/2011 2:24:00 PM
Vinyl acetate	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Vinyl Bromide	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Vinyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 2:24:00 PM
Surr: Bromofluorobenzene	104	70-130		%REC	1	2/14/2011 2:24:00 PM

Qualifiers:	** Reporting Limit	.	Results reported are not blank corrected
	B Analyte detected in the associated Method Blank	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	IN No routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	SS-2
Lab Order:	C1102017	Tag Number:	162,265
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-002A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Lab Vacuum In	-3			"Hg		2/9/2011
Lab Vacuum Out	-30			"Hg		2/9/2011
1UG/M3 BY METHOD TO15						
						Analyst: RJP
1,1,1-Trichloroethane	0.26	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,1,2,2-Tetrachloroethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,1,2-Trichloroethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,1-Dichloroethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,1-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,2,4-Trichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,2,4-Trimethylbenzene	0.27	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,2-Dibromoethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,2-Dichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,2-Dichloroethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,2-Dichloropropane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,3,5-Trimethylbenzene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,3-Dichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,4-Dichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
1,4-Dioxane	< 0.30	0.30		ppbV	1	2/14/2011 2:58:00 PM
2,2,4-trimethylpentane	0.37	0.15		ppbV	1	2/14/2011 2:58:00 PM
4-ethyltoluene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Acetone	18	3.0		ppbV	10	2/14/2011 9:03:00 PM
Allyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Benzene	2.6	1.5		ppbV	10	2/14/2011 9:03:00 PM
Benzyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Bromodichloromethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Bromoform	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Bromomethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Carbon disulfide	5.4	1.5		ppbV	10	2/14/2011 9:03:00 PM
Carbon tetrachloride	0.62	0.15		ppbV	1	2/14/2011 2:58:00 PM
Chlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Chloroethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Chloroform	0.58	0.15		ppbV	1	2/14/2011 2:58:00 PM
Chloromethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
cis-1,2-Dichloroethene	0.39	0.15		ppbV	1	2/14/2011 2:58:00 PM
cis-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Cyclohexane	4.6	1.5		ppbV	10	2/14/2011 9:03:00 PM
Dibromochloromethane	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Ethyl acetate	< 0.25	0.25		ppbV	1	2/14/2011 2:58:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 IN Not routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits
 . Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	SS-2
Lab Order:	C1102017	Tag Number:	162,265
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-002A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
Ethylbenzene	0.30	0.15		ppbV	1	2/14/2011 2:58:00 PM
Freon 11	0.53	0.15		ppbV	1	2/14/2011 2:58:00 PM
Freon 113	0.11	0.15	J	ppbV	1	2/14/2011 2:58:00 PM
Freon 114	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Freon 12	2.0	0.15		ppbV	1	2/14/2011 2:58:00 PM
Heptane	3.7	1.5		ppbV	10	2/14/2011 9:03:00 PM
Hexachloro-1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Hexane	7.9	1.5		ppbV	10	2/14/2011 9:03:00 PM
Isopropyl alcohol	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
m&p-Xylene	0.74	0.30		ppbV	1	2/14/2011 2:58:00 PM
Methyl Butyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 2:58:00 PM
Methyl Ethyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 2:58:00 PM
Methyl Isobutyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 2:58:00 PM
Methyl tert-butyl ether	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Methylene chloride	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
o-Xylene	0.33	0.15		ppbV	1	2/14/2011 2:58:00 PM
Propylene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Styrene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Tetrachloroethylene	0.20	0.15		ppbV	1	2/14/2011 2:58:00 PM
Tetrahydrofuran	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Toluene	1.3	0.15		ppbV	1	2/14/2011 2:58:00 PM
trans-1,2-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
trans-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Trichloroethene	1.2	0.15		ppbV	1	2/14/2011 2:58:00 PM
Vinyl acetate	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Vinyl Bromide	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Vinyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 2:58:00 PM
Surr: Bromofluorobenzene	105	70-130		%REC	1	2/14/2011 2:58:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 N Not routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits
 . Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	SS-3
Lab Order:	C1102017	Tag Number:	350,187
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-003A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
Ethylbenzene	0.30	0.15		ppbV	1	2/14/2011 3:31:00 PM
Freon 11	0.39	0.15		ppbV	1	2/14/2011 3:31:00 PM
Freon 113	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Freon 114	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Freon 12	1.6	0.15		ppbV	1	2/14/2011 3:31:00 PM
Heptane	52	14		ppbV	90	2/15/2011 7:25:00 AM
Hexachloro-1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Hexane	120	14		ppbV	90	2/15/2011 7:25:00 AM
Isopropyl alcohol	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
m&p-Xylene	0.77	0.30		ppbV	1	2/14/2011 3:31:00 PM
Methyl Butyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 3:31:00 PM
Methyl Ethyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 3:31:00 PM
Methyl Isobutyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 3:31:00 PM
Methyl tert-butyl ether	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Methylene chloride	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
o-Xylene	0.32	0.15		ppbV	1	2/14/2011 3:31:00 PM
Propylene	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Styrene	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Tetrachloroethylene	0.43	0.15		ppbV	1	2/14/2011 3:31:00 PM
Tetrahydrofuran	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Toluene	1.3	0.15		ppbV	1	2/14/2011 3:31:00 PM
trans-1,2-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
trans-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Trichloroethene	0.80	0.15		ppbV	1	2/14/2011 3:31:00 PM
Vinyl acetate	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Vinyl Bromide	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Vinyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 3:31:00 PM
Surr: Bromofluorobenzene	115	70-130		%REC	1	2/14/2011 3:31:00 PM

Qualifiers:	** Reporting Limit	.	Results reported are not blank corrected
	B Analyte detected in the associated Method Blank	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	IN Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	IA
Lab Order:	C1102017	Tag Number:	284,436
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-004A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Lab Vacuum In	-1			"Hg		Analyst: 2/9/2011
Lab Vacuum Out	-30			"Hg		2/9/2011
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC						
FLD						
TO-15						
1,1,1-Trichloroethane	< 0.15	0.15		ppbV	1	Analyst: RJP 2/14/2011 1:18:00 PM
1,1,2,2-Tetrachloroethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,1,2-Trichloroethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,1-Dichloroethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,1-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,2,4-Trichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,2,4-Trimethylbenzene	5.7	1.5		ppbV	10	2/14/2011 6:52:00 PM
1,2-Dibromoethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,2-Dichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,2-Dichloroethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,2-Dichloropropane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,3,5-Trimethylbenzene	2.1	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,3-Dichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,4-Dichlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
1,4-Dioxane	< 0.30	0.30		ppbV	1	2/14/2011 1:18:00 PM
2,2,4-trimethylpentane	14	1.5		ppbV	10	2/14/2011 6:52:00 PM
4-ethyltoluene	2.0	0.15		ppbV	1	2/14/2011 1:18:00 PM
Acetone	12	3.0		ppbV	10	2/14/2011 6:52:00 PM
Allyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Benzene	14	1.5		ppbV	10	2/14/2011 6:52:00 PM
Benzyl chloride	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Bromodichloromethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Bromoform	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Bromomethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Carbon disulfide	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Carbon tetrachloride	0.070	0.040		ppbV	1	2/14/2011 1:18:00 PM
Chlorobenzene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Chloroethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Chloroform	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Chloromethane	0.40	0.15		ppbV	1	2/14/2011 1:18:00 PM
cis-1,2-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
cis-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Cyclohexane	11	1.5		ppbV	10	2/14/2011 6:52:00 PM
Dibromochloromethane	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Ethyl acetate	< 0.25	0.25		ppbV	1	2/14/2011 1:18:00 PM

Qualifiers:	** Reporting Limit	.	Results reported are not blank corrected
	B Analyte detected in the associated Method Blank	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	N Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbetos & Environmental Consulting Corpo	Client Sample ID:	IA
Lab Order:	C1102017	Tag Number:	284,436
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-004A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
Ethylbenzene	6.9	1.5		ppbV	10	2/14/2011 6:52:00 PM
Freon 11	0.41	0.15		ppbV	1	2/14/2011 1:18:00 PM
Freon 113	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Freon 114	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Freon 12	0.55	0.15		ppbV	1	2/14/2011 1:18:00 PM
Heptane	8.5	1.5		ppbV	10	2/14/2011 6:52:00 PM
Hexachloro-1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Hexane	39	6.0		ppbV	40	2/14/2011 7:25:00 PM
Isopropyl alcohol	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
m&p-Xylene	22	3.0		ppbV	10	2/14/2011 6:52:00 PM
Methyl Butyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 1:18:00 PM
Methyl Ethyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 1:18:00 PM
Methyl Isobutyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 1:18:00 PM
Methyl tert-butyl ether	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Methylene chloride	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
o-Xylene	8.0	1.5		ppbV	10	2/14/2011 6:52:00 PM
Propylene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Styrene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Tetrachloroethylene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Tetrahydrofuran	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Toluene	50	6.0		ppbV	40	2/14/2011 7:25:00 PM
trans-1,2-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
trans-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Trichloroethene	< 0.040	0.040		ppbV	1	2/14/2011 1:18:00 PM
Vinyl acetate	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Vinyl Bromide	< 0.15	0.15		ppbV	1	2/14/2011 1:18:00 PM
Vinyl chloride	< 0.040	0.040		ppbV	1	2/14/2011 1:18:00 PM
Surr: Bromofluorobenzene	109	70-130		%REC	1	2/14/2011 1:18:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 IN Not routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits
 . Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Lab Order: C1102017
Project: Kalet 11-036
Lab ID: C1102017-005A

Client Sample ID: OA
Tag Number: 190,437
Collection Date: 2/9/2011
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC			TO-15			Analyst: RJP
Ethylbenzene	0.23	0.15		ppbV	1	2/14/2011 1:51:00 PM
Freon 11	0.48	0.15		ppbV	1	2/14/2011 1:51:00 PM
Freon 113	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Freon 114	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Freon 12	0.62	0.15		ppbV	1	2/14/2011 1:51:00 PM
Heptane	0.27	0.15		ppbV	1	2/14/2011 1:51:00 PM
Hexachloro-1,3-butadiene	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Hexane	0.60	0.15		ppbV	1	2/14/2011 1:51:00 PM
Isopropyl alcohol	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
m&p-Xylene	0.61	0.30		ppbV	1	2/14/2011 1:51:00 PM
Methyl Butyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 1:51:00 PM
Methyl Ethyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 1:51:00 PM
Methyl Isobutyl Ketone	< 0.30	0.30		ppbV	1	2/14/2011 1:51:00 PM
Methyl tert-butyl ether	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Methylene chloride	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
o-Xylene	0.25	0.15		ppbV	1	2/14/2011 1:51:00 PM
Propylene	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Styrene	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Tetrachloroethylene	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Tetrahydrofuran	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Toluene	1.0	0.15		ppbV	1	2/14/2011 1:51:00 PM
trans-1,2-Dichloroethene	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
trans-1,3-Dichloropropene	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Trichloroethene	< 0.040	0.040		ppbV	1	2/14/2011 1:51:00 PM
Vinyl acetate	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Vinyl Bromide	< 0.15	0.15		ppbV	1	2/14/2011 1:51:00 PM
Vinyl chloride	< 0.040	0.040		ppbV	1	2/14/2011 1:51:00 PM
Surr: Bromofluorobenzene	102	70-130		%REC	1	2/14/2011 1:51:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 M Not routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits

. Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Lab Order: C1102017
Project: Kalet 11-036
Lab ID: C1102017-001A

Client Sample ID: SS-1
Tag Number: 231,153
Collection Date: 2/9/2011
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
1,1,1-Trichloroethane	3.2	0.83		ug/m3	1	2/14/2011 2:24:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/14/2011 2:24:00 PM
1,1,2-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 2:24:00 PM
1,1-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 2:24:00 PM
1,1-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 2:24:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/14/2011 2:24:00 PM
1,2,4-Trimethylbenzene	1.5	0.75		ug/m3	1	2/14/2011 2:24:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/14/2011 2:24:00 PM
1,2-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 2:24:00 PM
1,2-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 2:24:00 PM
1,2-Dichloropropane	< 0.70	0.70		ug/m3	1	2/14/2011 2:24:00 PM
1,3,5-Trimethylbenzene	0.55	0.75	J	ug/m3	1	2/14/2011 2:24:00 PM
1,3-butadiene	< 0.34	0.34		ug/m3	1	2/14/2011 2:24:00 PM
1,3-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 2:24:00 PM
1,4-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 2:24:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/14/2011 2:24:00 PM
2,2,4-trimethylpentane	3.1	0.71		ug/m3	1	2/14/2011 2:24:00 PM
4-ethyltoluene	< 0.75	0.75		ug/m3	1	2/14/2011 2:24:00 PM
Acetone	24	7.2		ug/m3	10	2/14/2011 8:30:00 PM
Allyl chloride	< 0.48	0.48		ug/m3	1	2/14/2011 2:24:00 PM
Benzene	5.4	0.49		ug/m3	1	2/14/2011 2:24:00 PM
Benzyl chloride	< 0.88	0.88		ug/m3	1	2/14/2011 2:24:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/14/2011 2:24:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/14/2011 2:24:00 PM
Bromomethane	< 0.59	0.59		ug/m3	1	2/14/2011 2:24:00 PM
Carbon disulfide	1.1	0.47		ug/m3	1	2/14/2011 2:24:00 PM
Carbon tetrachloride	36	9.6		ug/m3	10	2/14/2011 8:30:00 PM
Chlorobenzene	< 0.70	0.70		ug/m3	1	2/14/2011 2:24:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/14/2011 2:24:00 PM
Chloroform	45	7.4		ug/m3	10	2/14/2011 8:30:00 PM
Chloromethane	< 0.31	0.31		ug/m3	1	2/14/2011 2:24:00 PM
cis-1,2-Dichloroethene	0.64	0.60		ug/m3	1	2/14/2011 2:24:00 PM
cis-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 2:24:00 PM
Cyclohexane	10	5.2		ug/m3	10	2/14/2011 8:30:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/14/2011 2:24:00 PM
Ethyl acetate	< 0.92	0.92		ug/m3	1	2/14/2011 2:24:00 PM
Ethylbenzene	1.5	0.66		ug/m3	1	2/14/2011 2:24:00 PM
Freon 11	4.6	0.86		ug/m3	1	2/14/2011 2:24:00 PM
Freon 113	< 1.2	1.2		ug/m3	1	2/14/2011 2:24:00 PM
Freon 114	< 1.1	1.1		ug/m3	1	2/14/2011 2:24:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 IN Non-routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits

. Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo	Client Sample ID: SS-1
Lab Order: C1102017	Tag Number: 231,153
Project: Kalet 11-036	Collection Date: 2/9/2011
Lab ID: C1102017-001A	Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
Freon 12	5.6	0.75		ug/m3	1	2/14/2011 2:24:00 PM
Heptane	12	6.2		ug/m3	10	2/14/2011 8:30:00 PM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/14/2011 2:24:00 PM
Hexane	21	5.4		ug/m3	10	2/14/2011 8:30:00 PM
Isopropyl alcohol	< 0.37	0.37		ug/m3	1	2/14/2011 2:24:00 PM
m&p-Xylene	3.9	1.3		ug/m3	1	2/14/2011 2:24:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 2:24:00 PM
Methyl Ethyl Ketone	< 0.90	0.90		ug/m3	1	2/14/2011 2:24:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 2:24:00 PM
Methyl tert-butyl ether	< 0.55	0.55		ug/m3	1	2/14/2011 2:24:00 PM
Methylene chloride	< 0.53	0.53		ug/m3	1	2/14/2011 2:24:00 PM
o-Xylene	1.6	0.66		ug/m3	1	2/14/2011 2:24:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/14/2011 2:24:00 PM
Styrene	< 0.65	0.65		ug/m3	1	2/14/2011 2:24:00 PM
Tetrachloroethylene	0.76	1.0	J	ug/m3	1	2/14/2011 2:24:00 PM
Tetrahydrofuran	< 0.45	0.45		ug/m3	1	2/14/2011 2:24:00 PM
Toluene	6.1	0.57		ug/m3	1	2/14/2011 2:24:00 PM
trans-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 2:24:00 PM
trans-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 2:24:00 PM
Trichloroethene	3.6	0.82		ug/m3	1	2/14/2011 2:24:00 PM
Vinyl acetate	< 0.54	0.54		ug/m3	1	2/14/2011 2:24:00 PM
Vinyl Bromide	< 0.67	0.67		ug/m3	1	2/14/2011 2:24:00 PM
Vinyl chloride	< 0.39	0.39		ug/m3	1	2/14/2011 2:24:00 PM

Qualifiers:	** Reporting Limit	.	Results reported are not blank corrected
	B Analyte detected in the associated Method Blank	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	IN Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Lab Order: C1102017
Project: Kalet 11-036
Lab ID: C1102017-002A

Client Sample ID: SS-2
Tag Number: 162,265
Collection Date: 2/9/2011
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15				Analyst: RJP
1,1,1-Trichloroethane	1.4	0.83		ug/m3	1	2/14/2011 2:58:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/14/2011 2:58:00 PM
1,1,2-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 2:58:00 PM
1,1-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 2:58:00 PM
1,1-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 2:58:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/14/2011 2:58:00 PM
1,2,4-Trimethylbenzene	1.3	0.75		ug/m3	1	2/14/2011 2:58:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/14/2011 2:58:00 PM
1,2-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 2:58:00 PM
1,2-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 2:58:00 PM
1,2-Dichloropropane	< 0.70	0.70		ug/m3	1	2/14/2011 2:58:00 PM
1,3,5-Trimethylbenzene	< 0.75	0.75		ug/m3	1	2/14/2011 2:58:00 PM
1,3-butadiene	< 0.34	0.34		ug/m3	1	2/14/2011 2:58:00 PM
1,3-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 2:58:00 PM
1,4-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 2:58:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/14/2011 2:58:00 PM
2,2,4-trimethylpentane	1.8	0.71		ug/m3	1	2/14/2011 2:58:00 PM
4-ethyltoluene	< 0.75	0.75		ug/m3	1	2/14/2011 2:58:00 PM
Acetone	44	7.2		ug/m3	10	2/14/2011 9:03:00 PM
Allyl chloride	< 0.48	0.48		ug/m3	1	2/14/2011 2:58:00 PM
Benzene	8.4	4.9		ug/m3	10	2/14/2011 9:03:00 PM
Benzyl chloride	< 0.88	0.88		ug/m3	1	2/14/2011 2:58:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/14/2011 2:58:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/14/2011 2:58:00 PM
Bromomethane	< 0.59	0.59		ug/m3	1	2/14/2011 2:58:00 PM
Carbon disulfide	17	4.7		ug/m3	10	2/14/2011 9:03:00 PM
Carbon tetrachloride	4.0	0.96		ug/m3	1	2/14/2011 2:58:00 PM
Chlorobenzene	< 0.70	0.70		ug/m3	1	2/14/2011 2:58:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/14/2011 2:58:00 PM
Chloroform	2.9	0.74		ug/m3	1	2/14/2011 2:58:00 PM
Chloromethane	< 0.31	0.31		ug/m3	1	2/14/2011 2:58:00 PM
cis-1,2-Dichloroethene	1.6	0.60		ug/m3	1	2/14/2011 2:58:00 PM
cis-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 2:58:00 PM
Cyclohexane	16	5.2		ug/m3	10	2/14/2011 9:03:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/14/2011 2:58:00 PM
Ethyl acetate	< 0.92	0.92		ug/m3	1	2/14/2011 2:58:00 PM
Ethylbenzene	1.3	0.66		ug/m3	1	2/14/2011 2:58:00 PM
Freon 11	3.0	0.86		ug/m3	1	2/14/2011 2:58:00 PM
Freon 113	0.86	1.2	J	ug/m3	1	2/14/2011 2:58:00 PM
Freon 114	< 1.1	1.1		ug/m3	1	2/14/2011 2:58:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 N Non routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits

. Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	SS-2
Lab Order:	C1102017	Tag Number:	162,265
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-002A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
Freon 12	10	0.75		ug/m3	1	2/14/2011 2:58:00 PM
Heptane	15	6.2		ug/m3	10	2/14/2011 9:03:00 PM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/14/2011 2:58:00 PM
Hexane	28	5.4		ug/m3	10	2/14/2011 9:03:00 PM
Isopropyl alcohol	< 0.37	0.37		ug/m3	1	2/14/2011 2:58:00 PM
m&p-Xylene	3.3	1.3		ug/m3	1	2/14/2011 2:58:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 2:58:00 PM
Methyl Ethyl Ketone	< 0.90	0.90		ug/m3	1	2/14/2011 2:58:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 2:58:00 PM
Methyl tert-butyl ether	< 0.55	0.55		ug/m3	1	2/14/2011 2:58:00 PM
Methylene chloride	< 0.53	0.53		ug/m3	1	2/14/2011 2:58:00 PM
o-Xylene	1.5	0.66		ug/m3	1	2/14/2011 2:58:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/14/2011 2:58:00 PM
Styrene	< 0.65	0.65		ug/m3	1	2/14/2011 2:58:00 PM
Tetrachloroethylene	1.4	1.0		ug/m3	1	2/14/2011 2:58:00 PM
Tetrahydrofuran	< 0.45	0.45		ug/m3	1	2/14/2011 2:58:00 PM
Toluene	5.0	0.57		ug/m3	1	2/14/2011 2:58:00 PM
trans-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 2:58:00 PM
trans-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 2:58:00 PM
Trichloroethene	6.7	0.82		ug/m3	1	2/14/2011 2:58:00 PM
Vinyl acetate	< 0.54	0.54		ug/m3	1	2/14/2011 2:58:00 PM
Vinyl Bromide	< 0.67	0.67		ug/m3	1	2/14/2011 2:58:00 PM
Vinyl chloride	< 0.39	0.39		ug/m3	1	2/14/2011 2:58:00 PM

Qualifiers:	** Reporting Limit	.	Results reported are not blank corrected
	B Analyte detected in the associated Method Blank	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	IN Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Lab Order: C1102017
Project: Kalet 11-036
Lab ID: C1102017-003A

Client Sample ID: SS-3
Tag Number: 350,187
Collection Date: 2/9/2011
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15				Analyst: RJP
1,1,1-Trichloroethane	0.61	0.83	J	ug/m3	1	2/14/2011 3:31:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/14/2011 3:31:00 PM
1,1,2-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 3:31:00 PM
1,1-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 3:31:00 PM
1,1-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 3:31:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/14/2011 3:31:00 PM
1,2,4-Trimethylbenzene	1.2	0.75		ug/m3	1	2/14/2011 3:31:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/14/2011 3:31:00 PM
1,2-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 3:31:00 PM
1,2-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 3:31:00 PM
1,2-Dichloropropane	< 0.70	0.70		ug/m3	1	2/14/2011 3:31:00 PM
1,3,5-Trimethylbenzene	< 0.75	0.75		ug/m3	1	2/14/2011 3:31:00 PM
1,3-butadiene	< 0.34	0.34		ug/m3	1	2/14/2011 3:31:00 PM
1,3-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 3:31:00 PM
1,4-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 3:31:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/14/2011 3:31:00 PM
2,2,4-trimethylpentane	10	7.1		ug/m3	10	2/14/2011 9:35:00 PM
4-ethyltoluene	< 0.75	0.75		ug/m3	1	2/14/2011 3:31:00 PM
Acetone	< 0.72	0.72		ug/m3	1	2/14/2011 3:31:00 PM
Allyl chloride	< 0.48	0.48		ug/m3	1	2/14/2011 3:31:00 PM
Benzene	5.5	0.49		ug/m3	1	2/14/2011 3:31:00 PM
Benzyl chloride	< 0.88	0.88		ug/m3	1	2/14/2011 3:31:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/14/2011 3:31:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/14/2011 3:31:00 PM
Bromomethane	< 0.59	0.59		ug/m3	1	2/14/2011 3:31:00 PM
Carbon disulfide	9.2	4.7		ug/m3	10	2/14/2011 9:35:00 PM
Carbon tetrachloride	9.1	0.96		ug/m3	1	2/14/2011 3:31:00 PM
Chlorobenzene	< 0.70	0.70		ug/m3	1	2/14/2011 3:31:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/14/2011 3:31:00 PM
Chloroform	4.8	0.74		ug/m3	1	2/14/2011 3:31:00 PM
Chloromethane	< 0.31	0.31		ug/m3	1	2/14/2011 3:31:00 PM
cis-1,2-Dichloroethene	0.77	0.60		ug/m3	1	2/14/2011 3:31:00 PM
cis-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 3:31:00 PM
Cyclohexane	47	5.2		ug/m3	10	2/14/2011 9:35:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/14/2011 3:31:00 PM
Ethyl acetate	< 0.92	0.92		ug/m3	1	2/14/2011 3:31:00 PM
Ethylbenzene	1.3	0.66		ug/m3	1	2/14/2011 3:31:00 PM
Freon 11	2.2	0.86		ug/m3	1	2/14/2011 3:31:00 PM
Freon 113	< 1.2	1.2		ug/m3	1	2/14/2011 3:31:00 PM
Freon 114	< 1.1	1.1		ug/m3	1	2/14/2011 3:31:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 IN Non-routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits
 . Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Lab Order: C1102017
Project: Kalet 11-036
Lab ID: C1102017-003A

Client Sample ID: SS-3
Tag Number: 350,187
Collection Date: 2/9/2011
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
Freon 12	8.0	0.75		ug/m3	1	2/14/2011 3:31:00 PM
Heptane	220	58		ug/m3	90	2/15/2011 7:25:00 AM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/14/2011 3:31:00 PM
Hexane	420	50		ug/m3	90	2/15/2011 7:25:00 AM
Isopropyl alcohol	< 0.37	0.37		ug/m3	1	2/14/2011 3:31:00 PM
m&p-Xylene	3.4	1.3		ug/m3	1	2/14/2011 3:31:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 3:31:00 PM
Methyl Ethyl Ketone	< 0.90	0.90		ug/m3	1	2/14/2011 3:31:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 3:31:00 PM
Methyl tert-butyl ether	< 0.55	0.55		ug/m3	1	2/14/2011 3:31:00 PM
Methylene chloride	< 0.53	0.53		ug/m3	1	2/14/2011 3:31:00 PM
o-Xylene	1.4	0.66		ug/m3	1	2/14/2011 3:31:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/14/2011 3:31:00 PM
Styrene	< 0.65	0.65		ug/m3	1	2/14/2011 3:31:00 PM
Tetrachloroethylene	3.0	1.0		ug/m3	1	2/14/2011 3:31:00 PM
Tetrahydrofuran	< 0.45	0.45		ug/m3	1	2/14/2011 3:31:00 PM
Toluene	5.1	0.57		ug/m3	1	2/14/2011 3:31:00 PM
trans-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 3:31:00 PM
trans-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 3:31:00 PM
Trichloroethene	4.4	0.82		ug/m3	1	2/14/2011 3:31:00 PM
Vinyl acetate	< 0.54	0.54		ug/m3	1	2/14/2011 3:31:00 PM
Vinyl Bromide	< 0.67	0.67		ug/m3	1	2/14/2011 3:31:00 PM
Vinyl chloride	< 0.39	0.39		ug/m3	1	2/14/2011 3:31:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 IN Non-routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits

.. Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo
Lab Order: C1102017
Project: Kalet 11-036
Lab ID: C1102017-004A

Client Sample ID: IA
Tag Number: 284,436
Collection Date: 2/9/2011
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
1,1,1-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 1:18:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/14/2011 1:18:00 PM
1,1,2-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 1:18:00 PM
1,1-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 1:18:00 PM
1,1-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 1:18:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/14/2011 1:18:00 PM
1,2,4-Trimethylbenzene	28	7.5		ug/m3	10	2/14/2011 6:52:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/14/2011 1:18:00 PM
1,2-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 1:18:00 PM
1,2-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 1:18:00 PM
1,2-Dichloropropane	< 0.70	0.70		ug/m3	1	2/14/2011 1:18:00 PM
1,3,5-Trimethylbenzene	11	0.75		ug/m3	1	2/14/2011 1:18:00 PM
1,3-butadiene	< 0.34	0.34		ug/m3	1	2/14/2011 1:18:00 PM
1,3-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 1:18:00 PM
1,4-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 1:18:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/14/2011 1:18:00 PM
2,2,4-trimethylpentane	67	7.1		ug/m3	10	2/14/2011 6:52:00 PM
4-ethyltoluene	9.8	0.75		ug/m3	1	2/14/2011 1:18:00 PM
Acetone	28	7.2		ug/m3	10	2/14/2011 6:52:00 PM
Allyl chloride	< 0.48	0.48		ug/m3	1	2/14/2011 1:18:00 PM
Benzene	45	4.9		ug/m3	10	2/14/2011 6:52:00 PM
Benzyl chloride	< 0.88	0.88		ug/m3	1	2/14/2011 1:18:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/14/2011 1:18:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/14/2011 1:18:00 PM
Bromomethane	< 0.59	0.59		ug/m3	1	2/14/2011 1:18:00 PM
Carbon disulfide	< 0.47	0.47		ug/m3	1	2/14/2011 1:18:00 PM
Carbon tetrachloride	0.45	0.26		ug/m3	1	2/14/2011 1:18:00 PM
Chlorobenzene	< 0.70	0.70		ug/m3	1	2/14/2011 1:18:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/14/2011 1:18:00 PM
Chloroform	< 0.74	0.74		ug/m3	1	2/14/2011 1:18:00 PM
Chloromethane	0.84	0.31		ug/m3	1	2/14/2011 1:18:00 PM
cis-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 1:18:00 PM
cis-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 1:18:00 PM
Cyclohexane	39	5.2		ug/m3	10	2/14/2011 6:52:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/14/2011 1:18:00 PM
Ethyl acetate	< 0.92	0.92		ug/m3	1	2/14/2011 1:18:00 PM
Ethylbenzene	30	6.6		ug/m3	10	2/14/2011 6:52:00 PM
Freon 11	2.3	0.86		ug/m3	1	2/14/2011 1:18:00 PM
Freon 113	< 1.2	1.2		ug/m3	1	2/14/2011 1:18:00 PM
Freon 114	< 1.1	1.1		ug/m3	1	2/14/2011 1:18:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 N Non-routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits
 . Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbetos & Environmental Consulting Corpo	Client Sample ID:	IA
Lab Order:	C1102017	Tag Number:	284,436
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-004A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
Freon 12	2.8	0.75		ug/m3	1	2/14/2011 1:18:00 PM
Heptane	35	6.2		ug/m3	10	2/14/2011 6:52:00 PM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/14/2011 1:18:00 PM
Hexane	140	21		ug/m3	40	2/14/2011 7:25:00 PM
Isopropyl alcohol	< 0.37	0.37		ug/m3	1	2/14/2011 1:18:00 PM
m&p-Xylene	99	13		ug/m3	10	2/14/2011 6:52:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 1:18:00 PM
Methyl Ethyl Ketone	< 0.90	0.90		ug/m3	1	2/14/2011 1:18:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 1:18:00 PM
Methyl tert-butyl ether	< 0.55	0.55		ug/m3	1	2/14/2011 1:18:00 PM
Methylene chloride	< 0.53	0.53		ug/m3	1	2/14/2011 1:18:00 PM
o-Xylene	35	6.6		ug/m3	10	2/14/2011 6:52:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/14/2011 1:18:00 PM
Styrene	< 0.65	0.65		ug/m3	1	2/14/2011 1:18:00 PM
Tetrachloroethylene	< 1.0	1.0		ug/m3	1	2/14/2011 1:18:00 PM
Tetrahydrofuran	< 0.45	0.45		ug/m3	1	2/14/2011 1:18:00 PM
Toluene	190	23		ug/m3	40	2/14/2011 7:25:00 PM
trans-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 1:18:00 PM
trans-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 1:18:00 PM
Trichloroethene	< 0.22	0.22		ug/m3	1	2/14/2011 1:18:00 PM
Vinyl acetate	< 0.54	0.54		ug/m3	1	2/14/2011 1:18:00 PM
Vinyl Bromide	< 0.67	0.67		ug/m3	1	2/14/2011 1:18:00 PM
Vinyl chloride	< 0.10	0.10		ug/m3	1	2/14/2011 1:18:00 PM

Qualifiers:	** Reporting Limit	.	Results reported are not blank corrected
	B Analyte detected in the associated Method Blank	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	IN Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT: Asbestos & Environmental Consulting Corpo **Client Sample ID:** OA
Lab Order: C1102017 **Tag Number:** 190,437
Project: Kalet 11-036 **Collection Date:** 2/9/2011
Lab ID: C1102017-005A **Matrix:** AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC			TO-15			Analyst: RJP
1,1,1-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 1:51:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/14/2011 1:51:00 PM
1,1,2-Trichloroethane	< 0.83	0.83		ug/m3	1	2/14/2011 1:51:00 PM
1,1-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 1:51:00 PM
1,1-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 1:51:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/14/2011 1:51:00 PM
1,2,4-Trimethylbenzene	1.2	0.75		ug/m3	1	2/14/2011 1:51:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/14/2011 1:51:00 PM
1,2-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 1:51:00 PM
1,2-Dichloroethane	< 0.62	0.62		ug/m3	1	2/14/2011 1:51:00 PM
1,2-Dichloropropane	< 0.70	0.70		ug/m3	1	2/14/2011 1:51:00 PM
1,3,5-Trimethylbenzene	< 0.75	0.75		ug/m3	1	2/14/2011 1:51:00 PM
1,3-butadiene	< 0.34	0.34		ug/m3	1	2/14/2011 1:51:00 PM
1,3-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 1:51:00 PM
1,4-Dichlorobenzene	< 0.92	0.92		ug/m3	1	2/14/2011 1:51:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/14/2011 1:51:00 PM
2,2,4-trimethylpentane	1.5	0.71		ug/m3	1	2/14/2011 1:51:00 PM
4-ethyltoluene	< 0.75	0.75		ug/m3	1	2/14/2011 1:51:00 PM
Acetone	22	3.6		ug/m3	5	2/14/2011 7:57:00 PM
Allyl chloride	< 0.48	0.48		ug/m3	1	2/14/2011 1:51:00 PM
Benzene	1.8	0.49		ug/m3	1	2/14/2011 1:51:00 PM
Benzyl chloride	< 0.88	0.88		ug/m3	1	2/14/2011 1:51:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/14/2011 1:51:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/14/2011 1:51:00 PM
Bromomethane	< 0.59	0.59		ug/m3	1	2/14/2011 1:51:00 PM
Carbon disulfide	< 0.47	0.47		ug/m3	1	2/14/2011 1:51:00 PM
Carbon tetrachloride	0.51	0.26		ug/m3	1	2/14/2011 1:51:00 PM
Chlorobenzene	< 0.70	0.70		ug/m3	1	2/14/2011 1:51:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/14/2011 1:51:00 PM
Chloroform	< 0.74	0.74		ug/m3	1	2/14/2011 1:51:00 PM
Chloromethane	1.1	0.31		ug/m3	1	2/14/2011 1:51:00 PM
cis-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 1:51:00 PM
cis-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 1:51:00 PM
Cyclohexane	< 0.52	0.52		ug/m3	1	2/14/2011 1:51:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/14/2011 1:51:00 PM
Ethyl acetate	< 0.92	0.92		ug/m3	1	2/14/2011 1:51:00 PM
Ethylbenzene	1.0	0.66		ug/m3	1	2/14/2011 1:51:00 PM
Freon 11	2.7	0.86		ug/m3	1	2/14/2011 1:51:00 PM
Freon 113	< 1.2	1.2		ug/m3	1	2/14/2011 1:51:00 PM
Freon 114	< 1.1	1.1		ug/m3	1	2/14/2011 1:51:00 PM

Qualifiers: ** Reporting Limit . Results reported are not blank corrected
 B Analyte detected in the associated Method Blank E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected at or below quantitation limits
 M Non-routine analyte. Quantitation estimated. ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Centek Laboratories, LLC

Date: 19-Feb-11

CLIENT:	Asbestos & Environmental Consulting Corpo	Client Sample ID:	OA
Lab Order:	C1102017	Tag Number:	190,437
Project:	Kalet 11-036	Collection Date:	2/9/2011
Lab ID:	C1102017-005A	Matrix:	AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC			TO-15			Analyst: RJP
Freon 12	3.1	0.75		ug/m3	1	2/14/2011 1:51:00 PM
Heptane	1.1	0.62		ug/m3	1	2/14/2011 1:51:00 PM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/14/2011 1:51:00 PM
Hexane	2.1	0.54		ug/m3	1	2/14/2011 1:51:00 PM
isopropyl alcohol	< 0.37	0.37		ug/m3	1	2/14/2011 1:51:00 PM
m&p-Xylene	2.7	1.3		ug/m3	1	2/14/2011 1:51:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 1:51:00 PM
Methyl Ethyl Ketone	< 0.90	0.90		ug/m3	1	2/14/2011 1:51:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/14/2011 1:51:00 PM
Methyl tert-butyl ether	< 0.55	0.55		ug/m3	1	2/14/2011 1:51:00 PM
Methylene chloride	< 0.53	0.53		ug/m3	1	2/14/2011 1:51:00 PM
o-Xylene	1.1	0.66		ug/m3	1	2/14/2011 1:51:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/14/2011 1:51:00 PM
Styrene	< 0.65	0.65		ug/m3	1	2/14/2011 1:51:00 PM
Tetrachloroethylene	< 1.0	1.0		ug/m3	1	2/14/2011 1:51:00 PM
Tetrahydrofuran	< 0.45	0.45		ug/m3	1	2/14/2011 1:51:00 PM
Toluene	3.9	0.57		ug/m3	1	2/14/2011 1:51:00 PM
trans-1,2-Dichloroethene	< 0.60	0.60		ug/m3	1	2/14/2011 1:51:00 PM
trans-1,3-Dichloropropene	< 0.69	0.69		ug/m3	1	2/14/2011 1:51:00 PM
Trichloroethene	< 0.22	0.22		ug/m3	1	2/14/2011 1:51:00 PM
Vinyl acetate	< 0.54	0.54		ug/m3	1	2/14/2011 1:51:00 PM
Vinyl Bromide	< 0.67	0.67		ug/m3	1	2/14/2011 1:51:00 PM
Vinyl chloride	< 0.10	0.10		ug/m3	1	2/14/2011 1:51:00 PM

Qualifiers: ** Reporting Limit
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 IN Non-routine analyte. Quantitation estimated.
 S Spike Recovery outside accepted recovery limits
 . Results reported are not blank corrected
 E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

ATTACHMENT B
Photograph Log

Kalet Building SVI Sampling

Photo Number # 1

Location: View of sub-slab sample SS-1 in the northwest corner of the basement.

Date: 2/9/11



Kalet Building SVI Sampling

Photo Number #2

Location: View of sub-slab sample SS-2 in the fur vault of the basement.

Date: 2/9/11



Kalet Building SVI Sampling

Photo Number # 3

Location: View of sub-slab sample SS-3 southern portion of the basement.

Date: 2/9/11



Kalet Building SVI Sampling

Photo Number # 4

Location: View of outdoor ambient air sample OA on the western side of the building, outside a first floor window.

Date: 2/9/11





Asbestos & Environmental
Consulting Corporation

Kalet Building SVI Sampling

Photo Number #5

Location: View of an unlabeled, rusted container near sub-slab sample SS-3.

Date: 2/9/11



Kalet Building SVI Sampling

Photo Number # 6

Location: View of the salad oil container observed near sub-slab sample SS-3.

Date: 2/9/11





Asbestos & Environmental
Consulting Corporation

Kalet Building SVI Sampling

Photo Number # 7

Location: View of containers near sub-slab sample SS-3. The yellow containers were labeled as soy bean oil.

Date:2/9/11



Kalet Building SVI Sampling

Photo Number # 8

Location: View of the hydraulic oil container on the first floor, near the front entrance.

Date:2/9/11

